

Honeywell Wi-Fi Thermostats

Honeywell



****Honeywell Wi-Fi Thermostats require 24v & Common, If no "Common Wire" is available then you must use THP9045A1023 Wire Saver.**



Lyric Round



T6 Pro Wi-Fi




Wi-Fi 9000



VisionPRO 8000

Features	TH8732WFH5002	TH6320WF2003 TH6220WF2006	TH9320WF5003	TH8321WF1001
Internet Connectivity/ App	Wi-Fi/ Lyric	Wi-Fi/ Lyric	Wi-Fi / TCC	Wi-Fi/ TCC
Program Options	Geofencing & 7-Day Programmable	Geofencing & 7-Day Programmable	7-Day Programmable	7-Day Programmable
User Interface	Touchscreen & Turn	Touchscreen	Touchscreen	Touchscreen
Stages	3H/2C HeatPump 2H/2C Conventional	6320-3H/2C HeatPump 2H/2C Conventional 6220-2H/2C HeatPump 2H/2C Conventional	3H/2C HeatPump 2H/2C Conventional	3H/2C HeatPump 2H/2C Conventional
Power Method	Hardwired	Hardwired	Hardwired	Hardwired
Commercial / Residential Selectable	Residential Only	Residential Only	●	●
On Screen Instructions	APP or Screen	APP or Screen	●	●
Filter, Humidifier Pad, Dehumidifier Filter, Ventilator Service and UV Lamp replacement Reminders	Filter and Humidifier Pad Replacement Reminders	●	Filter and Humidifier Pad Replacement Reminders	●
Continuous Backlight	●	●	●	●
Programmable Fan	●	●	●	●
Fan Circulate	●	●	●	●
Temperature Setpoint Limits	●	●	●	●
Humidification Control	YES*, One IAQ Output	No	No	Yes+, One IAQ Output
Dehumidification Control	YES*, One IAQ Output	No	No	YES*, One IAQ Output
Ventilation Control	YES*, One IAQ Output	Yes (6320 only)	No	YES*, One IAQ Output
Dual Fuel enabled	●	Yes (6320 only)	No	●
Outdoor Sensor	Accuweather	Accuweather or Wired	No	Accuweather or Wired
Indoor Sensor	No	Wired Only	No	Wired Only
Voice Control	Amazon + Google + Samsung + Apple ++	Amazon + Google + Samsung + Apple ++	Amazon + Google + Samsung + Apple ++	Amazon + Google + Samsung + Apple ++
Warranty	5 Years	5 Years	5 Years	5 Years



Hardwired to Equipment


Requires Common Wire. Use Wire Saver THP9045A1023 If Only 4 – Wires In Wall

Register for an account at

www.mytotalconnectcomfort.com

THP9045A1098 Wire Saver.

NOTE: Not For Use With TH9320WFFV6007



All-New Vision PRO 8000

Commercial or Residential

Honeywell



TH8321R1001
3Heat / 2 Cool
With Humidity

TH8320R1003
3 Heat / 2 Cool
No Humidity Sensing

TH8110R1008
1-Heat / 1-Cool
No Humidity Sensing

YTH8321R1002
3-H/2-C W/Gateway



THM6000R1002
RedLINK Enabled
Internet Gateway
Connect Up To
4 Thermostats



OPTIONAL

Adding EIM allows
4 Heat / 2 Cool

YTHM5421R1010

INCLUDES DISCHARGE
AND RETURN AIR SENSORS
Use In Application A or B

OR

THM5421R1021

EIM Only
Use In Application A only

Use in "A" or "B"
Applications See Below
and for multiple IAQ
products or with multiple
sensors



Register for an account at
www.mytotalconnectcomfort.com



Wireless Accessories *Optional*



C7189R1004
Wireless
Indoor
Sensor



C7089R1013
Wireless
Outdoor
Sensor



REM5000R1001
Portable Comfort
Control



HVC20A1000
Wireless
Vent Boost
20/40/60 Control




REM10001003
Wireless Entry /
Exit Control




THM4000R1000
Wireless Adapter for
TrueZONE, TrueSTEAM
or to extend wireless
range of EIM



****Wireless Accessories can be used with Vision PRO or Vision PRO & EIM**



Control single IAQ
Product
3H / 2C



YTHM5421R1010
Control Multiple IAQ
Products
4H / 2C



****Common Wire Required to
Enable RedLINK**

VisionPRO 8000 with ERM

Commercial or Residential

Honeywell



YERM5220R8321

1

Residential or Commercial

VISIONPRO 8000 ERM KIT. KIT INCLUDES THE VISIONPRO 8000 THERMOSTAT TH8321R1001 AND THE EQUIPMENT REMOTE MODULE ERM5220R1018. CONFIGURABLE FOR RESIDENTIAL AND COMMERCIAL APPLICATIONS. 7 DAY PROGRAMMABLE. UP TO 3H/2C HEAT PUMP AND UP TO 2H/2C CONVENTIONAL.



**YERM5220RVPEIM
W/EIM**

VISIONPRO 8000 ERM KIT. KIT INCLUDES THE VISIONPRO 8000 THERMOSTAT TH8321R1001, THE IAQ EQUIPMENT INTERFACE MODULE THM5421R1021, AND THE EQUIPMENT REMOTE MODULE ERM5220R1018. CONFIGURABLE FOR RESIDENTIAL AND COMMERCIAL APPLICATIONS. 7 DAY PROGRAMMABLE. UP TO 4H/2C HEAT PUMP AND UP TO 3H/2C CONVENTIONAL.



Register for an account at
www.mytotalconnectcomfort.com

**OPTIONAL Must have
RedLINK Gateway to control
over internet.*

2

Wireless Accessories

3



C7189R1004
Wireless
Indoor
Sensor



C7089R1013
Wireless
Outdoor
Sensor



REM5000R1001
Portable Comfort
Control



HVC20A1000
Wireless
Vent Boost
20/40/60 Control



REM10001003
Wireless Entry /
Exit Control




THM4000R1000
Wireless Adapter for
TrueZONE, TrueSTEAM
or to extend wireless
range of EIM




THM6000R1002*
RedLINK Enabled
Internet Gateway
Connect Up To
4 Systems


Installation Options



**Condensing Unit
Execution**



**Condensing Unit and
AHU Execution**



**Condensing Unit and
Boiler Execution**

Redesigned Prestige IAQ

Commercial or Residential

Honeywell



YTHX9421R5085WW

1

Residential or Commercial

PRESTIGE HD 2-WIRE IAQ COMFORT SYSTEM KIT. KIT INCLUDES THE 2-WIRE HD COLOR TOUCHSCREEN THERMOSTAT THX9421R5013, IAQ EQUIPMENT INTERFACE MODULE THM5421R1013, AND 2 50062329-001 DUCT SENSORS FOR DIAGNOSTICS. CONFIGURABLE FOR RESIDENTIAL AND COMMERCIAL APPLICATIONS. 7 DAY PROGRAMMABLE. UP TO 4H/2C HEAT PUMP AND UP TO 3H/2C CONVENTIONAL, CONTROLS MULTIPLE IAQ PRODUCTS



**YTHX9421R5101WW
OR
YTHX9421R5127WW
W/Gateway**

PRESTIGE HD 2-WIRE IAQ COMFORT SYSTEM KIT. KIT INCLUDES THE 2-WIRE HD COLOR TOUCHSCREEN THERMOSTAT THX9421R5013 THE IAQ EQUIPMENT INTERFACE MODULE THM5421R1013, THE WIRELESS OUTDOOR AIR SENSOR C7089R1013 AND 2 50062329-001 DUCT SENSORS FOR DIAGNOSTICS. CONFIGURABLE FOR RESIDENTIAL AND COMMERCIAL APPLICATIONS. 7 DAY PROGRAMMABLE. UP TO 4H/2C HEAT PUMP AND UP TO 3H/2C CONVENTIONAL.



Register for an account at
www.mytotalconnectcomfort.com

***OPTIONAL** Must have
RedLINK Gateway to control
over internet.

2

Wireless Accessories

3



C7189R1004
Wireless
Indoor
Sensor



C7089R1013
Wireless
Outdoor
Sensor



REM5000R1001
Portable Comfort
Control



HVC20A1000
Wireless
Vent Boost
20/40/60 Control



REM10001003
Wireless Entry/
Exit Control





THM4000R1000
Wireless Adapter for
TrueZONE, TrueSTEAM
or to extend wireless
range of EIM



THM6000R1002*
RedLINK Enabled
Internet Gateway
Connect Up To
4 Systems

Installation Options



Wireless Focus PRO Systems

Honeywell

RED LINK
Wireless Technology



Wireless Focus PRO 6000

Programmable

For controlling HVAC equipment wirelessly with no IAQ products. Refer back to VPIAQ & Prestige for controlling IAQ Products.



Wireless Focus PRO 5000

Non-Programmable

For controlling HVAC equipment wirelessly with no IAQ products. Refer back to VPIAQ & Prestige for controlling IAQ Products.

YTH6320R1122	PROGRAMMABLE FOCUSPRO, EQUIPMENT INTERFACE MODULE, RETURN AIR SENSOR, <u>OUTDOOR AIR SENSOR & REDLINK INTERNET GATEWAY</u>	1	YTH5320R1116	NON-PROGRAMMABLE FOCUSPRO, EQUIP. INTERFACE MODULE, R.A. SENSOR & <u>REDLINK INTERNET GATEWAY</u>
YTH6320R1114	PROGRAMMABLE FOCUSPRO, EQUIPMENT INTERFACE MODULE, RETURN AIR SENSOR & <u>REDLINK INTERNET GATEWAY</u>			
YTH6320R1001	PROGRAMMABLE FOCUSPRO, EQUIP. INTERFACE MOD. & RETURN AIR SENSOR		YTH5320R1000	NON-PROGRAMMABLE FOCUSPRO, EQUIP. INTERFACE MODULE & R.A. SENSOR

2

Wireless Accessories




REM5000R1001
Portable Comfort Control



C7089R1013
Wireless Outdoor Sensor



THM6000R1002*
RedLINK Enabled Internet Gateway
Connect Up To 4 Systems



3

***OPTIONAL** Must have RedLINK Gateway to control over internet.



Register for an account at
www.mytotalconnectcomfort.com